Application No.: 10/711,886 Filing Date: October 12, 2004

Group Art Unit: 3743
Examiner: D.J.D. Greene
Attorney Docket No.: 22727-117

Amendments to the Claims

1. (Currently Amended) A system for maintaining an open airway, comprising:

a mouthpiece adapted to form a substantially sealed an oral cavity within a patient's mouth and adapted to be coupled to a negative pressure generator that is effective to create a negative pressure within the substantially sealed oral cavity to prevent the patient's soft tissues of the upper airway from collapsing; and

a nasal mask adapted to deliver gases through the patient's nasal passageway.

- 2. (Cancelled.)
- 3. (Original) The system of claim 1, wherein the mouthpiece is effective to prevent the patient's soft tissues of the upper airway from collapsing without impinging on the tongue.
- 4. (Original) The system of claim 1, wherein the mouthpiece includes upper and lower portions that conform to an anatomy of the patient's upper and lower dental structures.
- 5. (Original) The system of claim 1, wherein the mouthpiece includes a hollow elongate member extending therefrom and coupled to a negative pressure generator.
- 6. (Original) The system of claim 1, wherein the nasal mask is coupled to the mouthpiece.
- 7. (Original) The system of claim 1, further comprising a negative pressure generator.
- 8. (Original) The system of claim 1, wherein the nasal mask is coupled to a device selected from the group consisting of a continuous positive airway pressure device, a mechanical ventilation device, and a positive end expiratory pressure device.
- 9. (Currently Amended) The system of claim 1, wherein the nasal mask includes [[a]] first and second tubular members extending therethrough and in communication with the patient's nasal passageway, the first tubular member being adapted to deliver gases through the

Application No.: 10/711,886 Filing Date: October 12, 2004 Group Art Unit: 3743 Examiner: D.J.D. Greene

Attorney Docket No.: 22727-117

patient's nasal passageway and the second tubular member being adapted to allow a gas sample to be taken from the nasal passageway.

10. (Currently Amended) A system for maintaining an open airway, comprising:

a mouthpiece adapted to form a substantially sealed an oral cavity within a patient's mouth and including an outlet port positioned during use adjacent the opening of the patient's mouth, the outlet port being adapted to couple to a negative pressure generator to create a negative pressure within the substantially sealed oral cavity; and

a tubular member adapted to be disposed over a patient's nose and to deliver gases to the patient's nasal airway.

- 11. (Currently Amended) The system of claim 10, wherein the nasal mask-tubular member is coupled to the mouthpiece.
- 12. (Currently Amended) The system of claim 10, wherein the mouthpiece is effective to prevent the patient's soft tissues of the upper airway from collapsing without impinging on the tongue.
- 13. (Original) The system of claim 10, further comprising a negative pressure generator.
- 14. (Original) The system of claim 10, wherein the tubular member comprises a nasal mask that is adapted to form a seal with the patient's nasal airway.
- 15. (Original) The system of claim 14, wherein the nasal mask is coupled to a device selected from the group consisting of a continuous positive airway pressure device, a mechanical ventilation device, and a positive end expiratory pressure device.
- 16. (Original) The system of claim 10, further comprising a second tubular member in communication with the patient's nasal passageway for allowing an gas sample to be taken from the nasal passageway.

Application No.: 10/711,886 Filing Date: October 12, 2004

Attorney Docket No.: 22727-117

Group Art Unit: 3743 Examiner: D.J.D. Greene

17. (Currently Amended) A method for maintaining an open airway, comprising:

forming a substantially sealed <u>oral</u> cavity within a patient's mouth;

creating a negative pressure within the substantially sealed <u>oral</u> cavity effective to

prevent the patient's soft tissues of the upper airway from collapsing; and

delivering gases through the patient's nasal passageway.

- 18. (Currently Amended) The method of claim 17, wherein a mouthpiece is used to form the substantially sealed <u>oral</u> cavity.
- 19. (Currently Amended) The method of claim [[17]]18, wherein the mouthpiece is adapted to allow normal swallowing and breathing.
- 20. (Currently Amended) The method of claim [[17]]18, wherein the mouthpiece does not impinge upon the tongue.
- 21. (Currently Amended) The method of claim [[17]]18, wherein the mouthpiece includes upper and lower portions that conform to an anatomy of the patient's upper and lower dental structures.
- 22. (Currently Amended) The method of claim 21, wherein the upper and lower portions are adapted to maintain the upper and lower dental structures at a fixed distance from one another.
- 23. (Currently Amended) The method of claim [[17]]18, wherein the mouthpiece is adapted to expand the size of the substantially sealed <u>oral</u> cavity in the mouth.
- 24. (Currently Amended) The method of claim [[17]]18, further comprising a hollow elongate member having a first end coupled to the mouthpiece and in communication with the substantially sealed <u>oral</u> cavity, and a second end coupled to the negative pressure generator.

Application No.: 10/711,886 Filing Date: October 12, 2004

Group Art Unit: 3743 Examiner: D.J.D. Greene

Attorney Docket No.: 22727-117

25. (Original) The method of claim 24, wherein the first end of the hollow elongate member is coupled to the mouthpiece adjacent an opening to the patient's mouth.

- 26. (Currently Amended) The method of claim [[17]]18, wherein the mouthpiece includes a sidewall adapted to be positioned over an opening of the patient's mouth, and a positioning member adapted to fit within the mouth to maintain the mouthpiece at a fixed position.
- 27. (Original) The method of claim 24, wherein the negative pressure generator operates at a pressure in the range of about 0 cm to -60 cm of water.
- 28. (Original) The method of claim 24, wherein the negative pressure generator removes air from the substantially sealed cavity at a rate that is in the range of about 0 cc/minute to 50 cc/minute.
- 29. (Currently Amended) The method of claim 17, wherein the negative pressure created within the substantially sealed <u>oral</u> cavity is further effective to remove secretions <u>therefrom the oral cavity</u>.